


## Comparison of table bases

### Electric height adjustment

#### Häfele Officys TE651 Pro




Load bearing capacity: 120 kg  
Height of table base: 600-1,260 mm  
Accessories: Fixing at table base

Häfele Officys TE651 Pro

► MB 11.102

#### Häfele Officys TE501/601 Business




Load bearing capacity: 100 kg  
Height of table base: 625-1,275 mm

Häfele Officys TE501/601 Business

► MB 11.127

### Electric height adjustment

#### Häfele Officys TE301 Light



Load bearing capacity: With even load distribution: 80 kg  
Height of table base: 683-1,183 mm  
Accessories: Control element

Häfele Officys TE301 Light

► MB 11.130

### Manual height adjustment

#### TH211 with crank adjustment




Load bearing capacity: With retracted base: 70 kg  
With extended base: 30 kg  
Height of table base: 685-1,185 mm

TH211

► MB 11.133

### Rigid table bases

#### Häfele Officys TF221, with vertical alignment



Load bearing capacity: 120 kg  
Height of table base: 710-720 mm  
Accessories: Fixing at table base

Häfele Officys TF221

► MB 11.115

#### Häfele Officys TF241 Meeting and occasional table



Load bearing capacity: 120 kg  
Height of table base: 710-720 mm  
Accessories: Fixing at table base

Häfele Officys TF241

► MB 11.116

Accessories for Häfele Officys table bases TE651 Pro

Piggy-backed pedestals – connection directly beneath the table top



Pedestal with system drawer, small



Pedestal with system drawer and suspension file drawer, large



Pedestal with felt drawer

Mobile workplace



Felt drawer



Pen tray

Pedestal with cable management and computer holder



Computer holder



Storage space for cables directly at the pedestal



Cable channel

Useful screens



Corner screen, inclined



Long screen



Table screen

DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.

### Häfele Officys TE651 Pro Table base

For workplaces with electric height adjustment


Vitaflex



- > Versatile premium model for many applications
- > Complete sets and individual components for flexible configuration are available
- > A wide range of accessories allows individual configuration
- > Safety stop: The built-in Piezo™ sensor responds to any obstacle when the table is moved up or down. It stops the table and changes direction in order to avoid collision.



### → Officys TE651 Pro Complete set





- > Material: Steel
- > Finish: Powder coated
- > Height adjustment: Motorised, continuous, base height 600–1,260 mm
- > Load bearing capacity: 120 kg with even load distribution
- > Version: End frames rectangular, 100 x 60 mm, symmetrical components for left or right hand use

#### Supplied with

- 2 end frames C
- 1 frame
- 2 support arms
- 1 control unit
- 1 mains lead
- 2 motor cables
- 1 operating unit for recess mounting, graphite black, RAL 9011
- 1 set of fixing material

Table Bases



Dim. in brackets apply to B = 600 mm

Dim. A mm	Colour	Dim. B mm		
		600 1 set	800 1 set	800 30 sets
1000	White aluminium, RAL 9006	633.50.202	633.50.212	–
	Graphite black, RAL 9011	633.50.302	633.50.312	–
	Signal white, RAL 9003	633.50.702	633.50.712	–
1200	White aluminium, RAL 9006	633.50.203	633.50.213	–
	Graphite black, RAL 9011	633.50.303	633.50.313	–
	Signal white, RAL 9003	633.50.703	633.50.713	–
1400	White aluminium, RAL 9006	633.50.204	633.50.214	–
	Graphite black, RAL 9011	633.50.304	633.50.314	–
	Signal white, RAL 9003	633.50.704	633.50.714	–
1600	White aluminium, RAL 9006	633.50.205	633.50.215	633.50.245
	Graphite black, RAL 9011	633.50.305	633.50.315	633.50.345
	Signal white, RAL 9003	633.50.705	633.50.715	633.50.745
1800	White aluminium, RAL 9006	633.50.206	633.50.216	633.50.246
	Graphite black, RAL 9011	633.50.306	633.50.316	633.50.346
	Signal white, RAL 9003	633.50.706	633.50.716	633.50.746
2000	White aluminium, RAL 9006	633.50.207	633.50.217	633.50.247
	Graphite black, RAL 9011	633.50.307	633.50.317	633.50.347
	Signal white, RAL 9003	633.50.707	633.50.717	633.50.747

Individual components	► MB 11.109
Control and operating unit	► MB 11.112
Accessories	► MB 11.119

DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.

11



→ Officys TE651 Pro Complete set with cable channel

Vitaflex



Supplied with  
1 TE651 complete set  
1 Cable channel

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.000
		Graphite black, RAL 9011	633.56.010
		Signal white, RAL 9003	633.56.020
1800	800	White aluminium, RAL 9006	633.56.001
		Graphite black, RAL 9011	633.56.011
		Signal white, RAL 9003	633.56.021
2000	800	White aluminium, RAL 9006	633.56.002
		Graphite black, RAL 9011	633.56.012
		Signal white, RAL 9003	633.56.022

→ Officys TE651 Pro Complete set with cable channel and longitudinal screen



Supplied with  
1 TE651 complete set  
2 Support arms  
1 Cable channel  
1 Longitudinal screen with 2 rear screen holders

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.030
		Graphite black, RAL 9011	633.56.040
		Signal white, RAL 9003	633.56.050
1800	800	White aluminium, RAL 9006	633.56.031
		Graphite black, RAL 9011	633.56.041
		Signal white, RAL 9003	633.56.051
2000	800	White aluminium, RAL 9006	633.56.032
		Graphite black, RAL 9011	633.56.042
		Signal white, RAL 9003	633.56.052

→ Officys TE651 Pro Complete set with cable channel and corner screen



Supplied with  
1 TE651 complete set  
1 Support arm  
1 Cable channel  
1 Corner screen with 1 lateral screen holder and 1 rear screen holder

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.060
		Graphite black, RAL 9011	633.56.070
		Signal white, RAL 9003	633.56.080
1800	800	White aluminium, RAL 9006	633.56.061
		Graphite black, RAL 9011	633.56.071
		Signal white, RAL 9003	633.56.081
2000	800	White aluminium, RAL 9006	633.56.062
		Graphite black, RAL 9011	633.56.072
		Signal white, RAL 9003	633.56.082

Officys TE651 Pro complete set	► MB 11.102
Individual components	► MB 11.109
Desk Control™	► MB 11.114
Accessories	► MB 11.119

DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.

→ Officys TE651 Pro Complete set with cable channel and computer holder

Vitaflex



Supplied with  
1 TE651 complete set  
1 Support arm  
1 Cable channel  
1 Computer holder

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.090
		Graphite black, RAL 9011	633.56.100
		Signal white, RAL 9003	633.56.110
1800	800	White aluminium, RAL 9006	633.56.091
		Graphite black, RAL 9011	633.56.101
		Signal white, RAL 9003	633.56.111
2000	800	White aluminium, RAL 9006	633.56.092
		Graphite black, RAL 9011	633.56.102
		Signal white, RAL 9003	633.56.112

→ Officys TE651 Pro Complete set with cable channel, computer holder and longitudinal screen



Supplied with  
1 TE651 complete set  
2 Support arms  
1 Cable channel  
1 Computer holder  
1 Longitudinal screen with 2 rear screen holders

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.120
		Graphite black, RAL 9011	633.56.130
		Signal white, RAL 9003	633.56.140
1800	800	White aluminium, RAL 9006	633.56.121
		Graphite black, RAL 9011	633.56.131
		Signal white, RAL 9003	633.56.141
2000	800	White aluminium, RAL 9006	633.56.122
		Graphite black, RAL 9011	633.56.132
		Signal white, RAL 9003	633.56.142

→ Officys TE651 Pro Complete set with cable channel, computer holder and corner screen



Supplied with  
1 TE651 complete set  
2 Support arms  
1 Cable channel  
1 Computer holder  
1 Corner screen with 1 lateral screen holder and 1 rear screen holder

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.150
		Graphite black, RAL 9011	633.56.160
		Signal white, RAL 9003	633.56.170
1800	800	White aluminium, RAL 9006	633.56.151
		Graphite black, RAL 9011	633.56.161
		Signal white, RAL 9003	633.56.171
2000	800	White aluminium, RAL 9006	633.56.152
		Graphite black, RAL 9011	633.56.162
		Signal white, RAL 9003	633.56.172

Officys TE651 Pro complete set	► MB 11.102
Individual components	► MB 11.109
Accessories	► MB 11.119



→ Officys TE651 Pro Complete set with cable channel and felt-lined drawer



- Supplied with**  
 1 TE651 complete set  
 2 Support arms  
 1 Cable channel  
 1 Pedestal with felt-lined drawer  
 4 Trays

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.180
		Graphite black, RAL 9011	633.56.190
		Signal white, RAL 9003	633.56.200
1800	800	White aluminium, RAL 9006	633.56.181
		Graphite black, RAL 9011	633.56.191
		Signal white, RAL 9003	633.56.201
2000	800	White aluminium, RAL 9006	633.56.182
		Graphite black, RAL 9011	633.56.192
		Signal white, RAL 9003	633.56.202

→ Officys TE651 Pro Complete set with cable channel, felt-lined drawer and longitudinal screen



- Supplied with**  
 1 TE651 complete set  
 3 Support arms  
 1 Cable channel  
 1 Longitudinal screen with 2 rear screen holders  
 1 Pedestal with felt-lined drawer  
 4 Trays

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.210
		Graphite black, RAL 9011	633.56.220
		Signal white, RAL 9003	633.56.230
1800	800	White aluminium, RAL 9006	633.56.211
		Graphite black, RAL 9011	633.56.221
		Signal white, RAL 9003	633.56.231
2000	800	White aluminium, RAL 9006	633.56.212
		Graphite black, RAL 9011	633.56.222
		Signal white, RAL 9003	633.56.232

→ Officys TE651 Pro Complete set with cable channel, felt-lined drawer and corner screen



- Supplied with**  
 1 TE651 complete set  
 3 Support arms  
 1 Cable channel  
 1 Corner screen with 1 lateral screen holder and 1 rear screen holder  
 1 Pedestal with felt-lined drawer  
 4 Trays

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.240
		Graphite black, RAL 9011	633.56.250
		Signal white, RAL 9003	633.56.260
1800	800	White aluminium, RAL 9006	633.56.241
		Graphite black, RAL 9011	633.56.251
		Signal white, RAL 9003	633.56.261
2000	800	White aluminium, RAL 9006	633.56.242
		Graphite black, RAL 9011	633.56.252
		Signal white, RAL 9003	633.56.262

Officys TE651 Pro complete set	► MB 11.102
Individual components	► MB 11.109
Accessories	► MB 11.119

DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.

→ Officys TE651 Pro Complete set with small pedestal



**Supplied with**  
1 TE651 complete set  
1 Support arm  
1 Pedestal with system drawer, lockable

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.270
		Graphite black, RAL 9011	633.56.280
		Signal white, RAL 9003	633.56.290
1800	800	White aluminium, RAL 9006	633.56.271
		Graphite black, RAL 9011	633.56.281
		Signal white, RAL 9003	633.56.291
2000	800	White aluminium, RAL 9006	633.56.272
		Graphite black, RAL 9011	633.56.282
		Signal white, RAL 9003	633.56.292

→ Officys TE651 Pro Complete set with small pedestal and longitudinal screen



**Supplied with**  
1 TE651 complete set  
2 Support arms  
1 Pedestal with system drawer, lockable  
1 Longitudinal screen with 2 rear screen holders

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.300
		Graphite black, RAL 9011	633.56.310
		Signal white, RAL 9003	633.56.320
1800	800	White aluminium, RAL 9006	633.56.301
		Graphite black, RAL 9011	633.56.311
		Signal white, RAL 9003	633.56.321
2000	800	White aluminium, RAL 9006	633.56.302
		Graphite black, RAL 9011	633.56.312
		Signal white, RAL 9003	633.56.322

→ Officys TE651 Pro Complete set with small pedestal and corner screen



**Supplied with**  
1 TE651 complete set  
2 Support arms  
1 Pedestal with system drawer, lockable  
1 Corner screen with 1 lateral screen holder and 1 rear screen holder

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.330
		Graphite black, RAL 9011	633.56.340
		Signal white, RAL 9003	633.56.350
1800	800	White aluminium, RAL 9006	633.56.331
		Graphite black, RAL 9011	633.56.341
		Signal white, RAL 9003	633.56.351
2000	800	White aluminium, RAL 9006	633.56.332
		Graphite black, RAL 9011	633.56.342
		Signal white, RAL 9003	633.56.352

Officys TE651 Pro complete set	► MB 11.102
Individual components	► MB 11.109
Desk Control™	► MB 11.114
Accessories	► MB 11.119

→ Officys TE651 Pro Complete set with large pedestal



**Supplied with**  
1 TE651 complete set  
1 Support arm  
1 Pedestal with 2 system drawers, lockable

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.360
		Graphite black, RAL 9011	633.56.370
		Signal white, RAL 9003	633.56.380
1800	800	White aluminium, RAL 9006	633.56.361
		Graphite black, RAL 9011	633.56.371
		Signal white, RAL 9003	633.56.381
2000	800	White aluminium, RAL 9006	633.56.362
		Graphite black, RAL 9011	633.56.372
		Signal white, RAL 9003	633.56.382

→ Officys TE651 Pro Complete set with large pedestal and longitudinal screen



**Supplied with**  
1 TE651 complete set  
2 Support arms  
1 Pedestal with 2 system drawers, lockable  
1 Longitudinal screen with 2 rear screen holders

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.390
		Graphite black, RAL 9011	633.56.400
		Signal white, RAL 9003	633.56.410
1800	800	White aluminium, RAL 9006	633.56.391
		Graphite black, RAL 9011	633.56.401
		Signal white, RAL 9003	633.56.411
2000	800	White aluminium, RAL 9006	633.56.392
		Graphite black, RAL 9011	633.56.402
		Signal white, RAL 9003	633.56.412

→ Officys TE651 Pro Complete set with large pedestal and corner screen



**Supplied with**  
1 TE651 complete set  
2 Support arms  
1 Pedestal with 2 system drawers, lockable  
1 Corner screen with 1 lateral screen holder and 2 rear screen holders

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	800	White aluminium, RAL 9006	633.56.420
		Graphite black, RAL 9011	633.56.430
		Signal white, RAL 9003	633.56.440
1800	800	White aluminium, RAL 9006	633.56.421
		Graphite black, RAL 9011	633.56.431
		Signal white, RAL 9003	633.56.441
2000	800	White aluminium, RAL 9006	633.56.422
		Graphite black, RAL 9011	633.56.432
		Signal white, RAL 9003	633.56.442

Officys TE651 Pro complete set	► MB 11.102
Individual components	► MB 11.109
Desk Control™	► MB 11.114
Accessories	► MB 11.119

DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.



→ Officys TE651 Pro Complete set for corner solution 90°



Vitaflex




- > Material: Steel
- > Finish: Powder coated
- > Height adjustment: Motorised, continuously adjustable, table height 625–1,285 mm (with table top thickness 25 mm)
- > Load bearing capacity: 180 kg with even load distribution
- > Version: End frames rectangular, 100 x 60 mm, symmetrical components for left or right hand use

**Supplied with**

- 2 end frames C
- 1 end frame T
- 1 straight frame
- 1 frame 90°
- 3 support arms
- 1 desktop connector
- 1 control unit
- 1 mains lead
- 3 motor cables
- 1 operating unit for recess mounting, graphite black, RAL 9011
- 1 set of fixing material



End frame C



End frame T

Dim. A mm	Dim. B mm	Colour	Cat. No.
1600	1400	White aluminium, RAL 9006	633.50.231
		Graphite black, RAL 9011	633.50.331
		Signal white, RAL 9003	633.50.731
1800	1400	White aluminium, RAL 9006	633.50.232
		Graphite black, RAL 9011	633.50.332
		Signal white, RAL 9003	633.50.732
	1600	White aluminium, RAL 9006	633.50.233
		Graphite black, RAL 9011	633.50.333
		Signal white, RAL 9003	633.50.733
2000	1400	White aluminium, RAL 9006	633.50.234
		Graphite black, RAL 9011	633.50.334
		Signal white, RAL 9003	633.50.734
	1600	White aluminium, RAL 9006	633.50.235
		Graphite black, RAL 9011	633.50.335
		Signal white, RAL 9003	633.50.735
1800	White aluminium, RAL 9006	633.50.236	
	Graphite black, RAL 9011	633.50.336	
	Signal white, RAL 9003	633.50.736	

Packing: 1 set




Individual components	► MB 11.109
Control and operating unit	► MB 11.112
Desk Control™	► MB 11.114
Accessories	► MB 11.119

DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.


### → Häfele Officys TE651 Pro End frame C

Vitaflex




- > Area of application: For freely designed and electrically adjustable table bases
- > Material: Steel
- > Finish: Powder coated
- > Height adjustment: Motorised, continuous, base height 600–1,260 mm
- > Load bearing capacity: 60 kg
- > Version: End frames rectangular, 100 x 60 mm, symmetrical components for left or right hand use

**Supplied with**  
 1 lifting column  
 1 support arm  
 1 end frame  
 1 set of fixing material




Dim. B mm	Colour	Cat. No.
600	White aluminium, RAL 9006	633.52.204
	Graphite black, RAL 9011	633.52.205
	Signal white, RAL 9003	633.52.206
800	White aluminium, RAL 9006	633.52.207
	Graphite black, RAL 9011	633.52.208
	Signal white, RAL 9003	633.52.209

### → Häfele Officys TE651 Pro End frame T



- > Area of application: For freely designed and electrically adjustable table bases
- > Material: Steel
- > Finish: Powder coated
- > Height adjustment: Motorised, continuous, base height 600–1,260 mm
- > Load bearing capacity: 60 kg
- > Version: End frames rectangular, 100 x 60 mm, symmetrical components for left or right hand use

**Supplied with**  
 1 lifting column  
 1 support arm  
 1 end frame  
 1 set of fixing material



Dim. B mm	Colour	Cat. No.
600	White aluminium, RAL 9006	633.52.264
	Graphite black, RAL 9011	633.52.265
	Signal white, RAL 9003	633.52.266
800	White aluminium, RAL 9006	633.52.267
	Graphite black, RAL 9011	633.52.268
	Signal white, RAL 9003	633.52.269


Packing: 1 piece

Frame, straight	► MB 11.110
Frame, 90°	► MB 11.110
Control and operating unit	► MB 11.112
Desk Control™	► MB 11.114
Accessories	► MB 11.119

DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.

→ Häfele Officys TE651 Pro, TH321, TF221 Straight frame

Vitaflex




- > Area of application: For mounting with end frames
- > Material: Steel
- > Finish: Powder coated

Dim. A mm	Dim. L mm	Colour	Cat. No.
1000	998	White aluminium, RAL 9006	633.50.142
		Graphite black, RAL 9011	633.50.442
		Signal white, RAL 9003	633.50.842
1200	1198	White aluminium, RAL 9006	633.50.143
		Graphite black, RAL 9011	633.50.443
		Signal white, RAL 9003	633.50.843
1400	1398	White aluminium, RAL 9006	633.50.144
		Graphite black, RAL 9011	633.50.444
		Signal white, RAL 9003	633.50.844
1600	1598	White aluminium, RAL 9006	633.50.145
		Graphite black, RAL 9011	633.50.445
		Signal white, RAL 9003	633.50.845
1800	1798	White aluminium, RAL 9006	633.50.146
		Graphite black, RAL 9011	633.50.446
		Signal white, RAL 9003	633.50.846
2000	1998	White aluminium, RAL 9006	633.50.147
		Graphite black, RAL 9011	633.50.447
		Signal white, RAL 9003	633.50.847
2200	2198	White aluminium, RAL 9006	633.50.148
		Graphite black, RAL 9011	633.50.448
		Signal white, RAL 9003	633.50.848
2400	2398	White aluminium, RAL 9006	633.50.149
		Graphite black, RAL 9011	633.50.449
		Signal white, RAL 9003	633.50.849

Packing: 1 piece

Table Bases

→ Häfele Officys TE651 Pro, TH321, TF221 90° Frame



- > Area of application: For mounting with end frames, for 90° corner solutions
- > Material: Steel
- > Finish: Powder coated

Note

Use end frame T with width B = 600 mm for 90° corner solution.

Dim. B mm	Dim. L mm	Colour	Cat. No.
1200	855	White aluminium, RAL 9006	633.50.153
		Graphite black, RAL 9011	633.50.453
		Signal white, RAL 9003	633.50.853
1400	1055	White aluminium, RAL 9006	633.50.154
		Graphite black, RAL 9011	633.50.454
		Signal white, RAL 9003	633.50.854
1600	1255	White aluminium, RAL 9006	633.50.155
		Graphite black, RAL 9011	633.50.455
		Signal white, RAL 9003	633.50.855
1800	1455	White aluminium, RAL 9006	633.50.156
		Graphite black, RAL 9011	633.50.456
		Signal white, RAL 9003	633.50.856
2000	1655	White aluminium, RAL 9006	633.50.157
		Graphite black, RAL 9011	633.50.457
		Signal white, RAL 9003	633.50.857

Packing: 1 piece

End frame C	► MB 11.109
End frame T	► MB 11.109




DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.

11



## → Freeform joint

For Häfele Officys TE651 and TF221



- > Area of application: For freeform tables or angled desks with Häfele Officys TE651 and TF221 table bases
- > Angle:  $\pm 90^\circ$
- > Material: Steel
- > Finish: Powder coated
- > Installation: For linking and screw fixing to the frames

Colour	Cat. No.
White aluminium, RAL 9006	633.92.240
Graphite black, RAL 9011	633.92.340
Signal white, RAL 9003	633.92.740

Packing: 1 piece

## → T-splitter



- > Area of application: For using operating units and Desk Control with Häfele Officys TE 501 and Häfele Officys TE 601 models
- > Material: Plastic

	Cat. No.
T-splitter	633.52.991

Packing: 1 piece

DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.


Officys TE651 Pro table base	► MB 11.102
Officys TF221 table base	► MB 11.115
Desktop plate	► MB 11.142

### → Operating unit

For flush mounting



- > Area of application: Operating unit for control unit
- > Material: Plastic
- > Diameter: 71.8 mm
- > Functionality: Up/down control with arrow keys, programming of up to 3 height settings possible
- > Cable length: 1,580 mm
- > Installation: Housing for clamp fixing for flush recess mounting



Colour	Cat. No.
Graphite black, RAL 9011	633.52.330
Traffic white, RAL 9016	633.52.730

Packing: 1 piece


### → Operating unit

With frame



White

Black



- > Area of application: Operating unit for control unit
- > Material: Plastic
- > Diameter: 72.0 mm
- > Functionality: Up/down control with arrow keys, programming of up to 3 height settings possible
- > Cable length: 1,580 mm
- > Installation: Housing for clamp fixing for recess mounting, with rim


Colour	Cat. No.
Traffic white, RAL 9016	642.71.271
Graphite black, RAL 9011	642.71.270

Packing: 1 piece

Table Bases

### → Operating unit

With programmable lift height restriction



- > Area of application: Operating unit for control unit
- > Material: Plastic
- > Dim. (L x W x H): 130 x 19 x 25 mm
- > Functionality: Up/down control with arrow keys, programming of up to 3 height settings possible, programmable lift height restriction
- > Cable length: 1,700 mm
- > Installation: For screw fixing with mounting bracket

Colour	Cat. No.
Black	633.03.298

Packing: 1 piece

11




DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.



→ Operating unit

Standard



- > Area of application: Operating unit for control unit
- > Material: Plastic
- > Dim. (L x W x H): 56 x 54 x 8 mm
- > Functionality: Up/down control with arrow keys, folding operating unit
- > Cable length: 1,580 mm
- > Installation: For screw fixing

Colour	Cat. No.
Anthracite grey	633.52.230

Packing: 1 piece

→ Control unit



Supplied with

- 1 control unit
- 1 mains lead
- 2–4 motor cables

- > Area of application: For controlling electrically adjustable end frames
- > Version: With overload protection and soft start/stop function
- > Installation: Fixing with Velcro tape

Suitable for	Wattage W	Nominal voltage V	Cat. No.
2 end frames	200	AC 230	633.52.022
3 end frames	300	AC 100–240	633.52.023
4 end frames	300	AC 100–240	633.52.024

Packing: 1 piece

→ Interconnecting lead



- > Area of application: For connecting 2 control units

	Cat. No.
Interconnecting lead	642.71.247

Packing: 1 piece

→ Extension lead for operating units



Length mm	Cat. No.
2,500	642.71.246

Packing: 1 piece

→ Lead



- > Area of application: Between lift unit and control unit (optional, where standard lead of 1,000 mm is not sufficient)

Length mm	Cat. No.
2,500	642.71.242

Packing: 1 piece




Desk Control™




- > Desk Control™ is a new DESKLINE® control program for use with office tables with electric height adjustment.
- > The software installed on your computer is intended to encourage you to adjust the table at regular intervals whilst you are working.
- > The software program contains the typical desk panel functions such as up/down adjustment, three freely usable storage positions and a height display.
- > The program reminds you to adjust your desk, records the length of time for which you are standing and the additional calories that are used up. The intervals can be tailored to your individual requirements.

Display screen views of the program

Individual settings



Time or calorie display




Click here for the "Progress" or "Settings" views. Alternatively, click on the "Stand up" or "Down" buttons and adjust your table.

Download

You will find the software for downloading free of charge at [www.hafele.com](http://www.hafele.com). Desk Control™ is available for Windows and Mac.

USB cable

In order to use the Desk Control software™ you need a USB cable, which connects the control unit to the computer. The USB cable takes care of communication between the control unit and your computer.



	Cat. No.
USB cable	633.03.301