Breakfast bar supports for mounting on worktops or furniture

→ Straight, flat



> Load bearing capacity: 30 kg

> Installation: For screw fixing

Note

There is a height difference of +10 mm when using the glass

Supplied with

Fixing material


Material	Finish/colour	Cat. No.
Aluminium	Stainless steel coloured	505.22.051
	Jet black, RAL 9005,	505.22.351
	microstructure, matt	

Packing: 1 piece

→ Inclined, flat

CAD

Midway Systems



> Load bearing capacity: Installation: For screw fixing

Note

There is a height difference of +10 mm when using the glass adapter.

Supplied with


Fixing material

Material	Finish/colour	Cat. No.
Steel	Chrome plated	505.22.241
Aluminium	Stainless steel coloured	505.22.041
Aluminium	Jet black, RAL 9005, microstructure, matt	505.22.341

Packing: 1 piece

Glass adapter for glue fixing





> Area of application: For mounting glass panel on flat

breakfast bar supports > Material:

> Installation: Top for glue fixing and bottom for screw


fixing > Diameter: 50 mm

Product type Cat. No. Glass adapter 505.22.081

Packing: 1

Table and bench leg frame	►MB 12.39
Glass gluing technique	►MB 14.16

\rightarrow Straight, square



> Material:	Aluminium/steel
> Load bearing capacity:	25 kg
> Installation:	For screw fixing

Supplied with

Fixing material

Finish	Height H mm	Cat. No.
Stainless steel effect	170	505.21.011
	220	505.21.013
Jet black, RAL 9005,	170	505.21.311
microstructure, matt, mounting plate: Silver	220	505.21.313

Packing: 1 piece

CAD

\rightarrow Inclined, square



> Material: Aluminium/steel Load bearing capacity: 20 kg Installation: For screw fixing

Supplied with

Fixing material


Finish	Height H mm	Cat. No.
Stainless steel effect	170	505.21.031
	220	505.21.033
Jet black, RAL 9005,	170	505.21.331
microstructure, matt, mounting plate: Silver	220	505.21.333

Packing: 1 piece

Glass adapter for glue fixing



DGH-M 2021, HDE-en, 11/20; Dimensional data not binding. We reserve the right to alter specifications without notice.




> Area of application:	For straight and inclined, square breakfast bar supports
> Installation:	For screw fixing to mounting plate

Material	Finish	Cat. No.
Aluminium	Silver coloured anodized	505.21.990

Packing: 1 piece

Table leg	►MB 12.52
Glass gluing technique	►MB 14.16





> Material: Aluminium

Finish: Silver coloured matt, anodized E6/EV1

Load bearing capacity: 25 kg

For screw fixing > Installation:

Supplied with

Fixing material and drilling jig


Length L mm	Height H mm	Cat. No.
270	170	505.14.926
310	210	505.14.936


Packing: 1 piece





Midway Systems





> Material: Aluminium > Load bearin > Installation: Load bearing capacity: 50 kg For screw fixing

Supplied with

Fixing material


Height H mm	Finish	Cat. No.
195	Aluminium brushed	505.35.933
	Stainless steel effect	505.35.033
	Jet black, RAL 9005	505.35.333

Packing: 1 piece

Breakfast bar supports for mounting laterally on cabinet or wall

\rightarrow Round







Material: Steel Tube Ø: 30 mm Load bearing capacity:

30 kg For screw fixing Installation:


Finish	Cat. No.
Stainless steel coloured	505.20.010

Packing: 1 piece

 \rightarrow Flat







>	Material:	Aluminium
>	Load bearing capacity:	30 kg
>	Installation:	For screw fixing

Supplied with

Fixing material

Finish	Cat. No.		
Silver coloured matt, anodized E6/EV1	505.14.956		
Deskin v. A. vises			

Packing: 1 piece